

# DISTRESS TOLERANCE HANDOUT 6A

(Distress Tolerance Worksheet 4)

## Using Cold Water, Step by Step

### COLD WATER CAN WORK WONDERS\*

When you put your full face into cold water . . . **or** you put a zip-lock bag with cold water on your eyes and upper cheeks, and **hold your breath**, it tells your brain you are diving underwater.

This causes the “**dive response**” to occur. (It may take 15–30 seconds to start.)

Your heart slows down, blood flow to nonessential organs is reduced, and blood flow is redirected to the brain and heart.

This response can actually help **regulate your emotions**.

This will be useful as a **distress tolerance strategy** when you are having a very **strong, distressing emotion**, or when you are having very **strong urges to engage in dangerous behaviors**.

(This strategy works best when you are sitting quietly—activity and distraction may make it less effective.)

**TRY IT OUT!**

**\*Caution:** Very cold water decreases your heart rate. If you have any heart or medical condition, have a lowered base heart rate due to medications, or are on a beta-blocker, consult your health care provider before using these skills. Avoid ice water if you are allergic to the cold.

From *DBT Skills Training Handouts and Worksheets, Second Edition*, by Marsha M. Linehan. Copyright 2015 by Marsha M. Linehan. Permission to photocopy this handout is granted to purchasers of *DBT Skills Training Handouts and Worksheets, Second Edition*, and *DBT Skills Training Manual, Second Edition*, for personal use and use with individual clients only. (See page ii of this packet for details.)